





## Product Comparison

					
<b>Specifications</b>	<b>Ashcroft 1279SS</b>	<b>Ashcroft 1259SD</b>	<b>Weksler AA44</b>	<b>Wika 232.34</b>	<b>US Gauge 1981</b>
<b>Dial Size</b>	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
<b>Accuracy</b>	Grade 2A ±0.5% FS	Grade 2A ±0.5% FS	Grade 2A ±0.5% FS	Grade 2A ±0.5% FS	Grade 2A ±0.5% FS
<b>Wetted Material</b>	316 SS	316 SS	316 SS	316 SS	316L SS
<b>Movement</b>			300 Series Stainless		300 Series Stainless
<b>Case Material</b>	Phenolic	Polypropylene	Polypropylene	Glass Reinforced Thermoplastic (POCAN)	Glass Fill Polypropylene
<b>Dial</b>	White painted aluminum with black graduations and numerals	White painted aluminum with black graduations and numerals	White painted aluminum with black graduations and numerals	White painted aluminum with black graduations and numerals	White painted aluminum with black graduations and numerals
<b>Pointer</b>	Micrometer Adjustable	Micrometer Adjustable	Micrometer Adjustable	Adjustable	Micro-adjustable
<b>Liquid Fillable</b>	Yes	Yes	Yes	Yes	Yes
<b>Connection Location</b>	Lower or back	Lower or back	Lower or back	Lower or back	Lower
<b>Connection Sizes</b>	1/4 or 1/2 NPT	1/4 or 1/2 NPT	1/4 or 1/2 NPT	1/4 or 1/2 NPT	1/4 or 1/2 NPT
<b>Ranges</b>	Vac 20,000 psi & Compound	Vac 20,000 psi & Compound	Vac 20,000 psi & Compound	Vac 30,000 psi & Compound	Vac 11,600 psi & Compound
<b>Metric Ranges Available</b>	Yes	Yes	Yes	Yes	Yes