

## Air Cocks

### 41 SERIES

### AIR COCKS (FOR AIR USE ONLY)


An economical way to shut-off air lines. Nut bottom available for pressures to 200 psig with 1/8" port. Many handle configurations. Spring bottom with 5/32" port standard.

#### FEATURES


- Spring bottom cocks tested at 80 psig air
- Available in satin or polished brass or satin chrome
- Maximum temperature is 500°F




tee handle  
round shoulder




tee handle  
hexagon shoulder




lever handle  
round shoulder



lever handle  
hexagon shoulder




tee handle double  
male thread



lever handle double  
male thread



tee handle  
bibb nose



lever handle  
bibb nose

Type	Satin Brass
Standard	-01
Nut Bottom	-04

Model Number	Size (in.)	Wt./100 (lbs.)
<b>TEE HANDLE ROUND SHOULDER</b>		
41-060	1/8	12.8
41-070	1/4	13.0
<b>TEE HANDLE HEXAGON SHOULDER</b>		
41-080	3/8	17.0
41-090	1/2	20.0
<b>LEVER HANDLE ROUND SHOULDER</b>		
41-120	1/8	13.1
41-130	1/4	14.2
<b>LEVER HANDLE HEXAGON SHOULDER</b>		
41-140	3/8	17.0
41-150	1/2	22.9
<b>TEE HANDLE DOUBLE MALE THREAD</b>		
41-180	1/8	14.0
41-190	1/4	17.9
41-203	3/8	20.0
41-210	1/2	33.1
<b>LEVER HANDLE DOUBLE MALE THREAD</b>		
41-220	1/8	14.0
41-230	1/4	18.5
41-240	3/8	19.1
41-251	1/2	31.3
<b>TEE HANDLE BIBB NOSE</b>		
41-260	1/8	14.5
41-270	1/4	16.3
41-280	3/8	33.3
41-330	1/2	36.0
<b>LEVER HANDLE BIBB NOSE</b>		
41-290	1/8	16.5
41-300	1/4	15.0
41-310	3/8	32.1
41-320	1/2	36.0

### AIR COCKS (FOR AIR USE ONLY)

An economical way to shut-off air lines. Nut bottom available for pressures to 200 psig with 1/8" port. Many handle configurations. Spring bottom with 5/32" port standard.

### FEATURES


- Spring bottom cocks tested at 80 psig air
- Available in satin or polished brass or satin chrome
- Maximum temperature is 500°F

Type	Satin Brass
Standard	-01
Nut Bottom	-04


  

Model Number	Size (in.)	Wt./100 (lbs.)
<b>TEE HANDLE DOUBLE FEMALE</b>		
41-370	1/8	13.0
41-380	1/4	14.0
41-390	3/8	26.0
41-391	1/2	27.0
<b>TEE HANDLE MALE &amp; FEMALE</b>		
41-400	1/8	13.0
41-410	1/4	14.0
41-420	3/8	21.0
41-421	1/2	26.0
<b>LEVER HANDLE DOUBLE FEMALE</b>		
41-430	1/8	14.8
41-440	1/4	13.0
41-450	3/8	23.0
41-451	1/2	27.0
<b>LEVER HANDLE MALE &amp; FEMALE</b>		
41-460	1/8	15.2
41-470	1/4	15.0
41-480	3/8	23.0
41-481	1/2	27.0
<b>TEE HANDLE MALE &amp; FEMALE HEX SHOULDER</b>		
41-490	1/8	17.0
41-500	1/4	15.0
41-510	3/8	23.0
41-511	1/2	25.0
<b>LEVER HANDLE MALE &amp; FEMALE HEX SHOULDER</b>		
41-520	1/8	14.0
41-530	1/4	15.0
41-540	3/8	22.1
41-541	1/2	27.0
<b>TEE HANDLE DOUBLE FEMALE HEX SHOULDER</b>		
41-550	1/8	17.0
41-560	1/4	17.0
41-570	3/8	25.0
41-571	1/2	28.3
<b>LEVER HANDLE DOUBLE FEMALE HEX SHOULDER</b>		
41-580	1/8	15.0
41-590	1/4	18.2
41-600	3/8	24.0
41-601	1/2	28.8
<b>TEE HANDLE STRAIGHT NOSE HEX SHOULDER</b>		
41-630	1/8	15.7
41-640	1/4	15.0
<b>LEVER HANDLE STRAIGHT NOSE HEX SHOULDER</b>		
41-650	1/8	14.0
41-660	1/4	15.0


### 41 SERIES




tee handle  
double female



tee handle  
male & female




lever handle  
double female




lever handle  
male & female




tee handle male &  
female hex shoulder



lever handle male &  
female hex shoulder




tee handle double  
female hex shoulder



lever handle double  
female hex shoulder



tee handle straight  
nose hex shoulder



lever handle straight  
nose hex shoulder

## Air Cocks

### 41 SERIES HEAVY PATTERN



### HEAVY AND EXTRA HEAVY PATTERN AIR AND STEAM COCKS

Heavy and extra heavy patterns for higher pressure applications.


#### FEATURES

- Rated for air pressure up to 250 psig with nut version
- Extra heavy pattern rated for 150 WSP - nut bottom only

Type	Satin Brass
Standard	-01
Nut Bottom	-04

Model Number	Size (in.)	Wt./100 (lbs.)
<b>HEAVY PATTERN</b>		
<b>TEE HANDLE DOUBLE FEMALE</b>		
41-102	1/4	28.00
<b>LEVER HANDLE DOUBLE FEMALE</b>		
41-103	1/4	27.00
<b>EXTRA HEAVY PATTERN</b>		
<b>TEE HANDLE DOUBLE FEMALE</b>		
41-200	1/8	32.00
41-202	1/4	32.00
<b>TEE HANDLE DOUBLE FEMALE HEXAGON SHOULDER</b>		
41-222	1/4	38.00
<b>TEE HANDLE MALE AND FEMALE</b>		
41-250	1/4	20.00

### 42-100 SERIES



### DRAIN COCKS

Rough brass construction; rated for 25 psig.

#### FEATURES

- Sizes: 1/8", 1/4", 3/8" and 1/2"

Type	Satin Brass
Standard	-01
Nut Bottom	-04

Model Number	Size (in.)	Orifice (in.)	Wt./100 (lbs.)
42-101	1/8	3/16	20.4
42-102	1/4	1/4	15.0
42-103	3/8	3/8	35.0
42-104	1/2	3/8	38.0

\* see above suffix key

## STEAM GAUGE COCKS

Female fitting with male union for easy installation.

### FEATURES

- Satin brass finish is standard
- Rated 100 WSP for standard bottom, 150 WSP for nut version
- Extra Heavy 250 WSP model is stamped "250"

Model Number	Description	Size (in.)	Wt./100 (lbs.)
43-101-01	100 SWP	1/4	45
43-101-04	150 SWP	1/4	45

## 43-100 SERIES



## HOSE END COCKS

Interior diameter hose sizes: 3/8" to 7/16"

### FEATURES

- 3/16" port; rated 25 psig
- Available in polished brass or satin brass finish

Model Number	Size (in.)	Wt./100 (lbs.)
44-101	1/8	19
44-102	1/4	22
44-103	3/8	23
44-104	1/2	25

*Designate (-05) suffix for polished brass; (-01) suffix for satin brass.*

## 44-100 SERIES

